

W.GIERTSEN
SERVICES AS

USERTIFISERT JERNVARE


**USERTIFISERT
JERNVARE**

STREKSKRUE LUKKET GALVANISERT

Varenummer	D1	L maks / min mm	Hylse lendge	m	D2
3451001	6 mm	254/176	102	8,5	6
3451002	8 mm	305/203	127	10	6
3451003	10 mm	349/235	152	13	8
3451005	12 mm	527/334	229	15	10
3451006	16 mm	555/375	229	19	12
3451007	20 mm	555/385	229	23	16
3451008	22 mm	704/465	305	25	20
3451009	25 mm	812/528	356	28	22

STREKSKRUE LUKKET RUSTFRI

Varenummer	D1	L maks / min mm	Hylse lendge	m	D2
3455054	6 mm	185/131	79	7	6
3455055	8 mm	248/168	106	10	8
3455056	10 mm	292/200	127	12	10
3455057	12 mm	350/233	150	14	12



KARBINKROKER


KARBINKROKER GALV XB 245

Varenummer	Total lengde, mm	Gods tykkelse, mm	Max gap åpning, mm	Min. bruddlast
3270008	50.00	5.00	7.00	250 kg
3270010	60.00	6.00	8.00	300kg
3270012	70.00	7.00	9.00	350 kg
3270014	80.00	8.00	11.00	450.00
3270016	90.00	9.00	11.00	500.00
3270018	100.00	10.00	12.00	700.00
3270020	120.00	11.00	17.00	900.00
3270022	140.00	12.00	21.00	1000.00
3270024	160.00	13.00	28.00	1200.00


KARBINKROKER BLANK X 245 M/LÅS

Varenummer	Total lengde mm	Gods tykkelse, mm	Max gap åpning, mm	Min. bruddlast
3270111	80.00	8.00	8.00	700 kg
3270002	90.00	9.00	8.00	750 kg
3270003	100.00	10.00	10.00	1050 kg
3270004	120.00	11.00	15.00	1350 kg
3270005	140.00	12.00	17.00	1530 kg
3270006	160.00	13.00	25.00	1800 kg


KARBINKROKER SYREFAST 316


Varenummer	Total lengde, mm	Gods tykkelse, mm	Max gap åpning, mm	Min. bruddlast
3271009	50.00	5.00	8.00	570 kg
3271002	60.00	6.00	9.00	670 kg
3271020	70.00	7.00	9.00	750 kg
3271004	80.00	8.00	9.00	870 kg
3271008	120.00	11.00	16.00	1250 kg
3271006	100.00	10.00	12.00	1150 kg
3271007	140.00	12.00	19.00	1280 kg


KARBINKROKER SYREFAST 316 M/LÅS OG RING

Varenummer	Total lengde, mm	Gods tykkelse, mm	Max gap åpning, mm	Min. bruddlast
3271024	80.00	8.00	8.00	900 kg
3271025	100.00	10.00	10.00	1200 kg
3271026	120.00	11.00	15.00	1310 kg


KARBINKROKER SYREFAST 316 M/RING


Varenummer	Total lengde, mm	Gods tykkelse, mm	Max gap åpning, mm	Min. bruddlast
3271030	50.00	5.00	7.50	570 kg
3271031	60.00	6.00	9.00	670 kg
3271032	70.00	7.00	10.00	750 kg
3271035	80.00	8.00	9.00	870 kg
3271036	90.00	9.00	12.50	960 kg
3271037	100.00	10.00	14.00	1150 kg
3271038	120.00	11.00	16.50	1250 kg
3271039	140.00	12.00	18.00	1280 kg



D-SJAKLER M/ØYEBOLT GALVANISERT

Varenummer	Nom. Dia. D (")	Nom. Dia. D (mm)	Ca Bruddlast	a (mm)	c (mm)
3261001	3/16	5	900 Kg	10	20
3261002	1/4	6	1300 Kg	15	26
3261003	5/16	8	1900 Kg	16	28
3261004	3/8	10	6500 Kg	19	38
3261005	7/16	11	7000 Kg	22	44
3261006	1/2	13	8000 Kg	28	47
3261007	9/16	14	9000 Kg	30	60
3261008	5/8	16	10500 Kg	34	63
3261009	3/4	19	15000 Kg	40	76
3261010	7/8	22	19000 Kg	46	80
3261011	1	25	25000 Kg	50	98
3261012	1 1/8	28	35000 Kg	56	107
3261013	1 1/4	32	53000 Kg	64	122
3261014	1 1/2	38	69000 Kg	76	146


Måltoleranse +/- 5%



H-SJAKLER M/ØYEBOLT GALVANISERT

Varenummer	Nom. Dia. D (")	Nom. Dia. D (mm)	Ca Bruddlast	a (mm)	c (mm)
3262042	3/16	5	900 Kg	10	20
3262043	1/4	6	1300 Kg	12	25
3262044	5/16	8	1900 Kg	14	29
3262045	3/8	10	6500 Kg	16	36
3262046	7/16	11	7000 Kg	19	40
3262047	1/2	13	8000 Kg	23	45
3262048	9/16	14	9000 Kg	30	58
3262049	5/8	16	10500 Kg	40	69
3262050	3/4	20	15000 Kg	46	81
3262051	7/8	22	19000 Kg	46	81
3262052	1	25	25000 Kg	50	95
3262053	1 1/8	28	35000 Kg	57	125

Måltoleranse +/- 5%



D-SJAKKEL MED ØYEBOLT RUSTFRI

Varenummer	Diam. Bolt mm.	Innvendig høyde mm.	Innvendig bredde mm.	WLL i tonn 1:4
3264001	5.00	26.00	15.00	-
3264002	6.00	28.00	15.00	0,4t
3264003	8.00	38.00	17.00	0,7t
3264004	10.00	44.00	20.00	1t
3264006	12.00	47.00	25.00	1,6t
3264007	16.00	60.00	28.00	3t

KJETTING KORTLENKET GARDE 40 GALV.

Varenummer	Gods tykkelse, mm	Innvendig lengde, mm	Utvendig bredde, mm	Min. bruddlast/kg
3240002	3.5	18	12.5	510
3240004	5	22	18.5	1000
3240006	6.5	24	23	2200
3240008	8	25.5	27	2530
3240010	10	32	33	6500
3240012	13	39	44	10500
3240014	16	48	55	16000
3240016	19	57	65	20560

KJETTING LANGLENKET GRADE 40 GALV.

Varenummer	Gods tykkelse, mm	Innvendig lengde, mm	Utvendig bredde, mm	Min. bruddlast/kg
3242022	4.00	32.00	16.00	680
3242024	5.00	36.00	20.00	1000
3242026	6.00	42.00	24.00	1800
3242028	8.00	54.00	32.00	2530
3242030	10.00	66.00	40.00	6500
3242032	13.00	82.00	50.00	10500
3242034	16.00	100.00	60.00	16000

KJETTING RUSTFRI LANGLENKET

Varenummer	Gods tykkelse, mm	Innvendig lengde, mm	Utvendig bredde, mm	Min. bruddlast/kg
3243000	2.00	22.00	8.00	300
3243002	3.00	26.00	12.00	400
3243115	6.00	42.00	24.00	2000